



## Method and system for generating and serving multilingual Web pages

1/7




*FIG. 1A*  
*(PRIOR ART)*



*FIG. 1B*  
(PRIOR ART)

2/7



HTTP: GET Request

HTTP: Request Method = GET

HTTP: Uniform Resource Identifier = /qthief.htm

HTTP: Protocol Version = HTTP/1.0

+ HTTP: Undocumented Header = Accept: image/gif, image/x-xbitmap,  
image/jpeg, \*/\*

+ HTTP: Undocumented Header = Accept-Language: en 240

+ HTTP: Undocumented Header = User-Agent: Mozilla/1.22 (compatible;  
MSIE 2.0; Windows 95)

+ HTTP: Undocumented Header = Connection: Keep-Alive

+ HTTP: Undocumented Header = If-Modified-Since: Sunday, 17-Apr-96  
04:32:58 GMT

```

00030:          47 45 54 20 2F 71 74 68 69 65          GET /qthie
00040: 66 2E 68 74 6D 20 48 54 54 50 2F 31 2E 30 0D 0A  f.htm HTTP/1.0..
00050: 41 63 63 65 70 74 3A 20 69 6D 61 67 65 2F 67 69  Accept: image/gi
00060: 66 2C 20 69 6D 61 67 65 2F 78 2D 78 62 69 74 6D  f, image/x-xbitm
00070: 61 70 2C 20 69 6D 61 67 65 2F 6A 70 65 67 2C 20  ap, image/jpeg,
00080: 2A 2F 2A 0D 0A 41 63 63 65 70 74 2D 4C 61 6E 67  */*..Accept-Lang
00090: 75 61 67 65 3A 20 65 6E 0D 0A 55 73 65 72 2D 41  uage: en..User-A
000A0: 67 65 6E 74 3A 20 4D 6F 7A 69 6C 6C 61 2F 31 2E  gent: Mozilla/1.
000B0: 32 32 20 28 63 6F 6D 70 61 74 69 62 6C 65 3B 20  22 (compatible;
000C0: 4D 53 49 45 20 32 2E 30 3B 20 57 69 6E 64 6F 77  MSIE 2.0; Window
000D0: 73 20 39 35 29 0D 0A 43 6F 6E 6E 65 63 74 69 6F  s 95)..Connectio
000E0: 6E 3A 20 4B 65 65 70 2D 41 6C 69 76 65 0D 0A 49  n: Keep-Alive..I
000F0: 66 2D 4D 6F 64 69 66 69 65 64 2D 53 69 6E 63 65  f-Modified-Since
00100: 3A 20 53 75 6E 64 61 79 2C 20 31 37 2D 41 70 72  : Sunday, 17-Apr
00110: 2D 39 36 20 30 34 3A 33 32 3A 35 38 20 47 4D 54  -96 04:32:58 GMT
00120: 0D 0A 0D 0A

```

**FIG. 2D**  
(PRIOR ART)

09075863-060701

3/7

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">  
 <meta name="abstract" content="Travel to Hong Kong Special Administrative Region (SAR) FAQ">  
 <meta name="keywords" content="Travel, China, Hong Kong, Special Administrative Region, SAR">  
 <meta name="owner" content="D. Kumhyr">  
 <meta name="security" content="public">  
 <html>  
 <head>  
 <title>  
 Travel to Hong Kong Special Administrative Region (SAR) FAQ  
 </title>  
 </head>  
 <hr>  
 <h1 ALIGN=CENTER>Travel to Hong Kong Special Administrative Region FAQ</FONT></h1>  
 <h2 ALIGN=CENTER>General Information</FONT></h2>  
 <ul>  
 <li>Time  
 <ul>  
 <li>The time is Austin -11 hours and RTP -12 hours, Yamato -1 hour; same as Shanghai.  
 </ul>  
 <li>Communications  
 <ul>  
 <li>AT&T International Direct Distance Dial is 800-1111  
 </ul>  
 <li>Importing recordable media  
 <ul>  
 <li>Magnetic media is listed as a contraband item on the customs list. In light of recent US efforts to clamp down on China's burgeoning bootleg recording industry you may wind up an unwilling guest of the PRC Government.  
 </ul>

212

214

216

218

**FIG. 2B**  
(PRIOR ART)

4/7




FIG. 2C  
(PRIOR ART)



FIG. 2E  
(PRIOR ART)

5/7

FIG. 3A





FIG. 3B

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">
<meta name="abstract" content = <% WebResourceLoader.getString(dbHongKong,"abstract") %>>
<meta name="keywords" content=<%WebResourceLoader.getString(dbHongKong,"keywords") %>>
<meta name="owner" content=<% WebResourceLoader.getString ( dbHongKong, "author") %>>
<meta name="security" content="public">
<html>
<head>
<title>
  <% WebResourceLoader.getString(dbHongKong, "title") %>
</title>
</head>
<hr>
<h1 ALIGN=CENTER><% WebResourceLoader.getString(dbHongKong,"title")%></FONT></h1>
<h2 ALIGN=CENTER><% WebResourceLoader.getString(dbHongKong,"geninfo")%></FONT></h2>
<ul>
<li><% WebResourceLoader.getString(dbHongKong, "timetitle") %>
  <ul>
<li><% WebResourceLoader.getString(dbHongKong, "timestatement") %>
  </ul>
</li>
<li><% WebResourceLoader.getString(dbHongKong, "comtitle") %>
  <ul>
<li><% WebResourceLoader.getString(dbHongKong, "cominfo") %>
  </ul>
</li>
<li><% WebResourceLoader.getString(dbHongKong, "recordingtitle") %>
  <ul>
<li><% WebResourceLoader.getString(dbHongKong, "recordingstatement") %>
  </ul>
</li>

```

FIG. 4

6/7




FIG. 5

7/7




FIG. 6